

	Type	Hits	Search Text	DBs
1	IS&R	49	(("5325106") or ("5863125") or ("5365283") or ("5657099") or ("5921650") or ("5990982") or ("6219015") or ("6219015") or ("5212555") or ("5227898") or ("5442411") or ("5528296") or ("5530482") or ("5657036") or ("5703717") or ("5729245") or ("5737038") or ("5777589") or ("5870164") or ("5909204") or ("5969850") or ("6151074") or ("6232963") or ("6317171") or ("6388661") or ("5231388") or ("5392140") or ("5465175") or ("5467146") or ("5483307") or ("5489952") or ("5490009") or ("5497172") or ("5504504") or ("5508841") or ("5517347") or ("5528317") or ("5535047") or ("5570135") or ("5610624") or ("5625424") or ("5630027") or ("5650832") or ("5663749") or ("5666226") or ("5668572") or ("5670976") or ("5670977") or ("5680257") or ("5680180")).PN.	USPAT; US-PGPUB; EPO; JPO
2	IS&R	9	(("6398389") or ("5311349") or ("5982541") or ("6512609") or ("6480259") or ("5798819") or ("5777588") or ("5729245") or ("5921650")).PN.	USPAT; US-PGPUB; EPO; JPO
3	BRS	0	10/693594	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
4	IS&R	324	(353/94).CCLS.	USPAT; US-PGPUB; EPO; JPO
5	BRS	39	((353/94).CCLS.) and (beam adj split\$3)	USPAT; US-PGPUB; EPO; JPO
6	IS&R	9965	((353/94,20,30,31,33,34,37,8 4,98,99,102) or (348/743,750,744,742,756) or (359/618,237,245,259,315,31 8) or (345/84,85,87)).CCLS.	USPAT; US-PGPUB; EPO; JPO
7	BRS	15	((((353/94,20,30,31,33,34,37, 84,98,99,102) or (348/743,750,744,742,756) or (359/618,237,245,259,315,31 8) or (345/84,85,87)).CCLS.) and (beam adj split\$3) and (tile\$1 near (imag\$3 or screen))	USPAT; US-PGPUB; EPO; JPO
8	BRS	14	((((353/94,20,30,31,33,34,37, 84,98,99,102) or (348/743,750,744,742,756) or (359/618,237,245,259,315,31 8) or (345/84,85,87)).CCLS.) and (beam adj split\$3) and (tile\$1 near (imag\$3 or screen)) and pixel\$1	USPAT; US-PGPUB; EPO; JPO
9	IS&R	1	("2002097323").PN.	USPAT; US-PGPUB; EPO; JPO
10	BRS	1	"2002097323"	USPAT; US-PGPUB; EPO; JPO
11	IS&R	0	(2002/0097323).CCLS.	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
12	IS&R	1	("20020097323").PN.	USPAT; US-PGPUB; EPO; JPO
13	BRS	9	(((353/94,20,30,31,33,34,37, 84,98,99,102) or (348/743,750,744,742,756) or (359/618,237,245,259,315,31 8) or (345/84,85,87)).CCLS.) and (beam adj split\$3) and (tile\$1 near (imag\$3 or screen) and (polariz\$5 or polaris\$5))	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
14	IS&R	49	("5325106") or ("5863125") or ("5365283") or ("5657099") or ("5921650") or ("5990982") or ("6219015") or ("6219015") or ("5212555") or ("5227898") or ("5442411") or ("5528296") or ("5530482") or ("5657036") or ("5703717") or ("5729245") or ("5737038") or ("5777589") or ("5870164") or ("5909204") or ("5969850") or ("6151074") or ("6232963") or ("6317171") or ("6388661") or ("5231388") or ("5392140") or ("5465175") or ("5467146") or ("5483307") or ("5489952") or ("5490009") or ("5497172") or ("5504504") or ("5508841") or ("5517347") or ("5528317") or ("5535047") or ("5570135") or ("5610624") or ("5625424") or ("5630027") or ("5650832") or ("5663749") or ("5666226") or ("5668572") or ("5670976") or ("5670977") or ("5680257") or ("5680180")).PN.	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
15	BRS	9	(((353/94,20,30,31,33,34,37,84,98,99,102) or (348/743,750,744,742,756) or (359/618,237,245,259,315,318) or (345/84,85,87)).CCLS.) and (beam adj split\$3) and (tile\$1 near (imag\$3 or screen)) and (polariz\$5 or polaris\$5)	USPAT; US-PGPUB; EPO; JPO
16	BRS	9	(((353/94,20,30,31,33,34,37,84,98,99,102) or (348/743,750,744,742,756) or (359/618,237,245,259,315,318) or (345/84,85,87)).CCLS.) and (beam adj split\$3) and (tile\$1 near (imag\$3 or screen) and (polariz\$5 or polaris\$5)) ) and (beam adj split\$3) and (tile\$1 near (imag\$3 or screen)) and (polariz\$5 or polaris\$5)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
17	BRS	0	(((("5325106") or ("5863125") or ("5365283") or ("5657099") or ("5921650") or ("5990982") or ("6219015") or ("6219015") or ("5212555") or ("5227898") or ("5442411") or ("5528296") or ("5530482") or ("5657036") or ("5703717") or ("5729245") or ("5737038") or ("5777589") or ("5870164") or ("5909204") or ("5969850") or ("6151074") or ("6232963") or ("6317171") or ("6388661") or ("5231388") or ("5392140") or ("5465175") or ("5467146") or ("5483307") or ("5489952") or ("5490009") or ("5497172") or ("5504504") or ("5508841") or ("5517347") or ("5528317") or ("5535047") or ("5570135") or ("5610624") or ("5625424") or ("5630027") or ("5650832") or ("5663749") or ("5666226") or ("5668572") or ("5670976") or ("5670977") or ("5680257") or ("5680180")).PN.) and (beam adj split\$3) and (tile\$1 near (imag\$3 or screen)) and (polariz\$5 or polaris\$5)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
18	BRS	14	(US-6758579-\$ or US-6755536-\$ or US-6568816-\$ or US-6337724-\$ or US-6309072-\$ or US-5777588-\$ or US-5666226-\$ or US-6473240-\$ or US-6672722-\$).did. or (US-20010048801-\$ or US-20020171776-\$ or US-20020171810-\$ or US-20020171937-\$ or US-20020191235-\$).did.	USPAT; US-PGPUB
19	BRS	0	((US-6758579-\$ or US-6755536-\$ or US-6568816-\$ or US-6337724-\$ or US-6309072-\$ or US-5777588-\$ or US-5666226-\$ or US-6473240-\$ or US-6672722-\$).did. or (US-20010048801-\$ or US-20020171776-\$ or US-20020171810-\$ or US-20020171937-\$ or US-20020191235-\$).did.) and (wire adj grid)	USPAT; US-PGPUB; EPO; JPO
20	BRS	0	((((353/94,20,30,31,33,34,37, 84,98,99,102) or (348/743,750,744,742,756) or (359/618,237,245,259,315,31 8) or (345/84,85,87)).CCLS.) and (beam adj split\$3) and (tile\$1 near (imag\$3 or screen) and (polariz\$5 or polaris\$5)) and (wire adj grid)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
21	BRS	2	display and (beam adj split\$3) and (tile\$1 near (imag\$3 or screen) and (polariz\$5 or polaris\$5)) and	USPAT; US-PGPUB; EPO; JPO
22	BRS	58	display and (beam adj split\$3) and (integrator or rod or "beam forming" or tube or "road lens" or (light near guide)) and (polariz\$5 or polaris\$5) and (wire adj grid)	USPAT; US-PGPUB; EPO; JPO
23	BRS	65	display and (beam adj split\$3) and (integrator or rod or "beam forming" or tube or "road lens" or (light near (guide or engine))) and (polariz\$5 or polaris\$5) and (wire adj grid)	USPAT; US-PGPUB; EPO; JPO
24	IS&R	9965	((353/94,20,30,31,33,34,37,84,98,99,102) or (348/743,750,744,742,756) or (359/618,237,245,259,315,318) or (345/84,85,87)).CCLS.	USPAT; US-PGPUB; EPO; JPO
25	BRS	29	((353/94,20,30,31,33,34,37,84,98,99,102) or (348/743,750,744,742,756) or (359/618,237,245,259,315,318) or (345/84,85,87)).CCLS.) and display and (beam adj split\$3) and (integrator or rod or "beam forming" or tube or "road lens" or (light near (guide or engine))) and (polariz\$5 or polaris\$5) and (wire adj grid)	USPAT; US-PGPUB; EPO; JPO



	Type	Hits	Search Text	DBs
26	BRS	2	(353/\$ or 359/\$ or 348/\$ or 345/\$) and (beam adj split\$3) and (tile\$1 near (imag\$3 or screen) and (polariz\$5 or polaris\$5)) and (wire adj grid)	USPAT; US-PGPUB; EPO; JPO
27	BRS	2	display and (beam adj split\$3) and (tile\$1 near (imag\$3 or screen) and (polariz\$5 or polaris\$5)) and	USPAT; US-PGPUB; EPO; JPO
28	BRS	65	display and (beam adj split\$3) and (integrator or rod or "beam forming" or tube or "road lens" or (light near (guide or engine))) and (polariz\$5 or polaris\$5) and (wire adj grid)	USPAT; US-PGPUB; EPO; JPO
29	BRS	0	10/693594	USPAT; US-PGPUB; EPO; JPO
30	IS&R	9	((("6398389") or ("5311349") or ("5982541") or ("6512609") or ("6480259") or ("5798819") or ("5777588") or ("5729245") or ("5921650")).PN.	USPAT; US-PGPUB; EPO; JPO
31	BRS	5	((("6398389") or ("5311349") or ("5982541") or ("6512609") or ("6480259") or ("5798819") or ("5777588") or ("5729245") or ("5921650")).PN.) and (polariz\$5 or polaris\$5)	USPAT; US-PGPUB; EPO; JPO
32	BRS	3	(color adj wheel) and (plural near2 screen\$1)	USPAT; US-PGPUB; EPO; JPO
33	BRS	12	(color adj wheel) and (plural near2 (screen\$1 or display\$1))	USPAT; US-PGPUB; EPO; JPO
34	BRS	1	(color adj wheel) and (plural near2 (screens or displays)) and (polariz\$5 or polaris\$5)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
35	BRS	0	(color adj wheel) and (plural near2 (screens or displays)) and (polariz\$5 or polaris\$5) and (beam adj splitter\$1)	USPAT; US-PGPUB; EPO; JPO
36	BRS	310	(color adj wheel) and (screens or displays or (display near portions)) and (polariz\$5 or polaris\$5)	USPAT; US-PGPUB; EPO; JPO
37	BRS	186	(color adj wheel) and (screens or displays or (display near portions)) and (polariz\$5 or polaris\$5) and (integrator or rod or "beam forming" or tube or "road lens" or (light near guide) or	USPAT; US-PGPUB; EPO; JPO
38	BRS	183	(color adj wheel) and (screens or displays or (display near portions)) and (polariz\$5 or polaris\$5) and (integrator or rod or "beam forming" or tube or "road lens" or (light adj guide) or	USPAT; US-PGPUB; EPO; JPO
39	BRS	191	(color adj wheel) and (screens or displays or (display near portions)) and (polariz\$5 or polaris\$5) and (integrator or rod or "beam forming" or tube or "road lens" or (light adj (guide or pipe)) or homogeniz\$5)	USPAT; US-PGPUB; EPO; JPO
40	BRS	78	(color adj wheel) and (screens or (image near displays) or (display near portions)) and (polariz\$5 or polaris\$5) and (integrator or rod or "beam forming" or tube or "road lens" or (light adj (guide or pipe)) or	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
41	BRS	5	(color adj wheel) and (screens or (image near displays) or (display near portions)) and (polariz\$5 or polaris\$5) and (integrator or rod or "beam forming" or tube or "road lens" or (light adj (guide or pipe)) or homogeniz\$5) and (til\$3 near (image or display or screen))	USPAT; US-PGPUB; EPO; JPO
42	BRS	1	(color adj wheel) and (screens or (image near displays) or (display near portions)) and (polariz\$5 or polaris\$5) and (integrator or rod or "beam forming" or tube or "road lens" or (light adj (guide or pipe)) or homogeniz\$5) and ((tile\$1 or tiling) near (image or display or screen))	USPAT; US-PGPUB; EPO; JPO
43	BRS	2	(color adj wheel) and (polariz\$5 or polaris\$5) and (integrator or rod or "beam forming" or tube or "road lens" or (light adj (guide or pipe)) or homogeniz\$5) and ((tile\$1 or tiling) near (image or display or screen))	USPAT; US-PGPUB; EPO; JPO
44	BRS	1	10/184359	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
45	BRS	18	(US-5666226-\$ or US-6480259-\$ or US-5777588-\$ or US-6758579-\$ or US-6755536-\$ or US-6568816-\$ or US-6337724-\$ or US-6309072-\$ or US-6672722-\$ or US-6473240-\$ or US-6456339-\$).did. or (US-20030142276-\$ or US-20020191235-\$ or US-20020171937-\$ or US-20020171810-\$ or US-20020171776-\$ or US-20010048801-\$ or US-20030025842-\$).did.	USPAT; US-PGPUB
46	BRS	1	((US-5666226-\$ or US-6480259-\$ or US-5777588-\$ or US-6758579-\$ or US-6755536-\$ or US-6568816-\$ or US-6337724-\$ or US-6309072-\$ or US-6672722-\$ or US-6473240-\$ or US-6456339-\$).did. or (US-20030142276-\$ or US-20020191235-\$ or US-20020171937-\$ or US-20020171810-\$ or US-20020171776-\$ or US-20010048801-\$ or US-20030025842-\$).did.) and (wire adj grid)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
47	IS&R	9	((("6398389") or ("5311349") or ("5982541") or ("6512609") or ("6480259") or ("5798819") or ("5777588") or ("5729245") or ("5921650")).PN.	USPAT; US-PGPUB; EPO; JPO
48	BRS	0	((color adj wheel) and (plural near2 (screens or displays)) and (polariz\$5 or polaris\$5)) and (wire adj grid) and (color adj wheel)	USPAT; US-PGPUB; EPO; JPO
49	BRS	0	((color adj wheel) and (plural near2 (screens or displays)) and (polariz\$5 or polaris\$5)) and (wire adj grid)	USPAT; US-PGPUB; EPO; JPO
50	BRS	1	((color adj wheel) and (plural near2 (screens or displays)) and (polariz\$5 or polaris\$5)) and (color adj wheel)	USPAT; US-PGPUB; EPO; JPO
51	BRS	12	((((353/94,20,30,31,33,34,37,84,98,99,102) or (348/743,750,744,742,756) or (359/618,237,245,259,315,318) or (345/84,85,87)).CCLS.) and display and (beam adj split\$3) and (integrator or rod or "beam forming" or tube or "road lens" or (light near (guide or engine))) and (polariz\$5 or polaris\$5) and (wire adj grid) and (color adj wheel)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
52	BRS	2	(((353/94,20,30,31,33,34,37,84,98,99,102) or (348/743,750,744,742,756) or (359/618,237,245,259,315,318) or (345/84,85,87)).CCLS.) and display and (beam adj split\$3) and (integrator or rod or "beam forming" or tube or "road lens" or (light near (guide or engine))) and (polariz\$5 or polaris\$5) and (wire adj grid adj1 (beam adj splitter)) and (color adj wheel)	USPAT; US-PGPUB; EPO; JPO
53	BRS	2	(353/\$ or 348/\$ or 359/\$ or 349/\$ or 345/\$) and display and (beam adj split\$3) and (integrator or rod or "beam forming" or tube or "road lens" or (light near (guide or engine))) and (polariz\$5 or polaris\$5) and (wire adj grid adj1 (beam adj splitter)) and (color adj wheel)	USPAT; US-PGPUB; EPO; JPO
54	BRS	2	(projector or (project\$3 adj (device or system or apparatus or unit))) and (beam adj split\$3) and (integrator or rod or "beam forming" or tube or "road lens" or (light near (guide or engine))) and (polariz\$5 or polaris\$5) and (wire adj grid adj1 (beam adj splitter)) and (color adj wheel)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
55	BRS	2	(projector or (project\$3 adj (device or system or apparatus or unit))) and (integrator or rod or "beam forming" or tube or "road lens" or (light near (guide or engine))) and (polariz\$5 or polaris\$5) and (wire adj grid adj1 (beam adj splitter)) and (color adj wheel)	USPAT; US-PGPUB; EPO; JPO
56	BRS	2	(projector or (project\$3 adj (device or system or apparatus or unit))) and (integrator or rod or "beam forming" or tube or "road lens" or (light near (guide or engine or pipe))) and (polariz\$5 or polaris\$5) and (wire adj grid adj1 (beam adj splitter)) and (color adj wheel)	USPAT; US-PGPUB; EPO; JPO
57	BRS	2	(projector or (project\$3 adj (device or system or apparatus or unit))) and (integrator or rod or "beam forming" or tube or "road lens" or (light near (guide or engine or pipe))) and (polariz\$5 or polaris\$5) and ((wire adj grid) near1 (beam adj splitter)) and (color adj wheel)	USPAT; US-PGPUB; EPO; JPO
58	BRS	2	(projector or (project\$3 adj (device or system or apparatus or unit))) and (integrator or rod or "beam forming" or tube or "road lens" or (light near (guide or engine or pipe))) and (polariz\$5 or polaris\$5) and ((wire adj grid) near2 (beam adj splitter)) and (color adj wheel)	USPAT; US-PGPUB; EPO; JPO

	Type	Hits	Search Text	DBs
59	BRS	5	(projector or (project\$3 adj (device or system or apparatus or unit))) and (integrator or rod or "beam forming" or tube or "road lens" or (light near (guide or engine or pipe))) and (polariz\$5 or polaris\$5) and ((wire adj grid) near3 (beam adj splitter)) and (color adj wheel)	USPAT; US-PGPUB; EPO; JPO
60	IS&R	1	("20030227597").PN.	USPAT; US-PGPUB; EPO; JPO
61	BRS	1	10/163228	USPAT; US-PGPUB; EPO; JPO